



TEGERA® 184A

Chemical protection glove, 0,21 mm nitrile, Cat. III, blue, approved for handling foodstuffs, pair packed, latex-free

PROPERTIES

Highest level of protection

SPECIFICATION

TYPE OF GLOVE Chemical protection gloves

CATEGORY Cat. III

SIZE RANGE (EU) 7, 8, 9, 10, 11

DIPPING MATERIAL Nitrile

THICKNESS 0,21 mm

LENGTH RANGE 300 mm

COLOUR Blue

PAIRS PER PACKAGE/CARTON 10/100

PIECES PER BOX 0

AQL 1.5

DISPLAY Bag with euro slot

SIZE	ART. NO.	EAN NO.
7	184A-7	7340118341804
8	184A-8	7340118341866
9	184A-9	7340118341927
10	184A-10	7340118341989
11	184A-11	7340118342047

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



CE 0598 Cat. III

EN 420:2003 + A1:2009  EN 388:2016 2001X  EN ISO 374-1:2016/Type A JKLOPT

 EN ISO 374-5:2016 

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-09

TEGERA® 184A

FEATURES

Protection against chemicals, approved for handling foodstuffs, latex-free

PREVENTS RISK OF

Contact with chemicals

PRIMARY ENVIRONMENTS OF USE

Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, disposable use, wet environments, moist environments, oily and greasy environments, dirty environments

PRIMARY AREAS OF USE

Agricultural work, airport work, chemical technology work, chemical work, cleaning, decontamination, fishing industry work, food handling, foodstuff handling, hotel- and restaurant work, kitchen work, laboratory work, paint spraying work, painting, petro-chemical work, repair work, sanitation

PRIMARY INDUSTRIES OF USE

Agriculture, oil, gas, petrochemical, food processing, pulp and paper, chemical, rubber and plastic, machinery and equipment, MRO, facilities, service

2(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 184A

EU-TYPE EXAMINATION

0598 SGS FIMKO OY Takomotie 8, 00380 Helsinki, Finland

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

Suitable for contact with foodstuffs

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and microorganisms - Part 5 Terminology and performance requirements for microorganism risks.

EN ISO 374-1:2016/Type A Protective gloves against dangerous chemicals and microorganisms - Part 1: Terminology and performance requirements for chemical risks.

Test according to EN ISO 374-1:2016

Tested chemical	J	K	L	O	P	T
Permeation level	6	6	2	4	6	6
Degradation %	40,6	7,4	91,9	18,9	20,9	10,3

Permeation levels are based on breakthrough times as follows

Permeation level	1	2	3	4	5	6
Minimum breakthrough times (min)	10	30	60	120	240	480

Definition of breakthrough time through the glove palm (1ugm/cm²/min)

J: n-Heptane (CAS number 142-82-5)

K: Sodium hydroxide 40% (CAS number 1310-73-2)

L: Sulphuric acid 96% (CAS number 7664-93-9)

O: Ammonium hydroxide 25% (CAS number 1336-21-6)

P: Hydrogen peroxide 30% (CAS number 7722-84-1)

T: Formaldehyde 37% (CAS number 50-00-0)



CE 0598 Cat. III

EN 420:2003 + A1:2009  EN 388:2016 2001X  EN ISO 374-1:2016/Type A JKLOPT

 EN ISO 374-5:2016 

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-09

3(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com